Video Library module integration with Google Drive

Step1: Login the google console <u>https://console.cloud.google.com/apis/dashboard</u>

Step2: Click on "My First Project" and enter project name or use any existing.

\equiv Google Cloud Platform	My First Project Q. Search Products, resources, docs (/)	✓ ■ ▲ Ø ÷
A Home >	DASHBOARD ACTIVITY RECOMMENDATIONS	🖌 CUSTOMIZE
C Recent >	Select a project	
View all products	AR Search projects and folders	Google Cloud Platform status
PINNED	TO RECENT STARED ALL Google 1.0	→ Go to Cloud status dashboard
Pins appear here	M M First Project ● notional-armori-349406 0.6 M M First Project ● notional-armori-349406 0.6	
	roje ☆ № My First Project smilling-memory-349406 0.4 00 Monite 0.2	Create my dashboard
Marketplace	DD Create my 0 11 AM	Set up alerting policies
Billing	e to Set up ale Create up	Create uptime checks
RPI APIs & Services >	tes s0. View all d.	View all dashboards
Support >	GL Go to Mo	ightarrow Go to Monitoring
Getting started	om Ms. GPUS. THUS, Disks VMs, GPUS, TPUS, Disks 807 Error D	RPI Error Reporting

Step3: Click on APIs & Services menu in left hand then click on Library-> Enter "Google drive APIs"-> Enable the button.

Google Cloud Platform	🖫 Video Library 👻	Q Search Products, resources, docs (/)	✓ ▷ ♠ ② ⋮			
Home >	DASHBOARD ACTIVITY	DEPONIMENINATIONS Work Cad Parton & Yestay - S. B. I. O. I. O. Wildowy	🖍 CUSTO			
Recent >	Project info	Welcome to the API Library	Google Cloud Platform status :			
	Project name Video Library		All services normal			
NED APIs & Services	Project number vesu 786656755564 Perce Perce	y Mapt 000000000000000000000000000000000000	→ Go to Cloud status dashboard			
	Enabled APIs & services 1605	We by an order label to the set of an and t	Monitoring			
/ Marketplace	Credentials) THIS PROJEC	02 E Google Cloud Pattern > Viewskey +	Create my dashboard			
Billing	Domain verification	← 11 AM Coogle Drive API Coogle Drive API	Create uptime checks			
APIs & Services Support >	BigQuery	The Couple have all these during is access reasoning the Couple Drive	View all dashboards			
IAM & Admin >	SQL Managed MySQL, PostgreSQL,	SQL S Overview	→ Go to Monitoring			
Getting started	Compute Engine VMs, GPUs, TPUs, Disks	ne uoge une er lakos dens la accus esponse rann voge som. Additional details Lannohet 41/02 Geny Storge (soge finitipue de Benamme (in a groups note	RPI Error Reporting			
Compliance	Storage		Compliance Extrage			

Step4: API's & Services-> OAuth consent screen->User type->External then enter 1- App name 2 User support email 3- Developer contact information and click on "Save and continue" button.

=	Google Cloud Platform	🕽 Video Library 👻	Q Search Products, resources, docs (/	0)		?	
API	APIs & Services	Edit app registration				Learn				
:	Enabled APIs & services	1 OAuth consent screen — 😰	Scopes — (3) Test users — (4) Sum	mary		How is	this info prese	ented to	use	ers?
曲	Library				Provide users a link to your public	terms of service	consent screen th	at users	200	
0*	Credentials	App information								
39	OAuth consent screen	This shows in the consent screen, and help	os end users know who you are and contact		Authorized domains					
2	Domain verification	you			When a domain is used on the conse	ent screen or in an	OAuth client's configu	ation, it mu	st be	
= ₀	Page usage agreements	App name *			pre-registered here. If your app needs to go through verification, please go to the <u>Google Search</u> <u>Console</u> to check if your domains are authorized. <u>Learn more</u> about the authorized domain limit.					
		Application name must not be empty		J	+ ADD DOMAIN					
		User support email *								_
		For users to contact you with questions abort	ut their consent		Developer contact inf	ormation				
					Email addresses *					1
		App logo	BROWSE		Enter at least one email					´
		Upload an image, not larger than 1MB on the your app. Allowed image formats are JPG, P	consent screen that will help users recognize NG, and BMP. Logos should be square and							- 1
		120px by 120px for the best results.			SAVE AND CONTINUE CA	NCEL				
21		App domain								

Step5: APIs & services -> click on Credentails-> create credentials

=	Google Cloud Platform	❖ Video Library ▼ Q. Search Products, resources, docs (/)	
API	APIs & Services	Credentials + CREATE CREDENTIALS = DELETE	
¢	Enabled APIs & services	Create credentials to access your enabled APIs. Learn more	
ш	Library	API Kevs	
07	Credentials	☐ Name Creation date ↓	Restrictions
19	OAuth consent screen	No API keys to display	
	Domain verification	OAuth 2.0 Client IDe	
≡o	Page usage agreements	OAutil 2.0 Chent IDS	
		Name Creation date 🗸	Туре
		No OAuth clients to display	
		Service Accounts	
		Email Name 个	
		No service accounts to display	

Step6: APIs & services -> click on Credentails-> create credentials-> OAuth client id

=	Google Cloud Platform	💲 Video Library 👻	Q Search Products, resources, docs (/)			>.	۰	0	: (
API	APIs & Services	Credentials	+ CREATE CREDENTIALS						
4.0	Enabled APIs & services	Create credentials to ac	API key Identifies your project using a simple API key to check quota and access						
뱶	Library	API Kevs	OAuth client ID						
0+	Credentials	Name	Service account	Restrictions					Action
19	OAuth consent screen	No API keys to displa	Enables server-to-server, app-level authentication using robot accounts						
7	Domain verification	OAuth 2.0 Client I	Help me choose Asks a few questions to help you decide which type of credential to use						
Ξo	Page usage agreements	Name	Creation date 🔸	Туре	Client ID				Actions
		No OAuth clients to di	isplay						
		Service Accounts				м	anage si	ervice a	accounts
		Email	Name 🕇						Actions
		No service accounts t	to display						

Step7: Select Application type "Web Application" Add Authorized redirect urls.

Re-direct URL example: https://domain/admin/video_libray/uploadFileGoogleDrive

=	Google Cloud Platform	♣ Video Library
PI	APIs & Services	← Create OAuth client ID
	Enabled APIs & services Library	A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See <u>Setting up OAuth 2.0</u> for more information. <u>Learn more</u> about OAuth client types.
-	Credentials	Application type * Web application
2	OAuth consent screen Domain verification	Name * Web client 1
ò	Page usage agreements	The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.
2	Domain verification	
ò	Page usage agreements	Authorized redirect URIs For use with requests from a web server URIs 1 * Invalid Redirect: URI must not be empty. ADD URI

+ CREATE CREDENTIALS **RPI** APIs & Services Credentials OAuth client created Enabled APIs & services Create credentials to access your enable ᇤ Library The client ID and secret can always be accessed from Credentials in APIs & API Keys o⊷ Credentials Services Name OAuth access is restricted to the <u>test users</u> listed on your <u>OAuth</u> <u>consent screen</u> No API keys to display Domain verification Your Client ID -----OAuth 2.0 Client IDs ≡₀ Page usage agreements Client ID Name Your Client Secret Web client 1 786856755564-u841... **D** Б Service Accounts 🛨 DOWNLOAD JSON Manage servi Email No service accounts to display ок

Click in create button and copy and paste the "Your client id" & "your client secret" key in crm

Login CRM -> Setup-> Video Library-> Google drive